

# TBC3

series



---

## Product Segments

- **Care Motion**


---

## General Features

IP rating	Up to IP66
Option	Charging cradle
Designed specifically to recharge the TBB7 and TC12	
Lithium battery	

**Drawing**

Standard Dimensions  
(mm)



## TBC3

Version: 20211213-B

---

<b>AC Plug</b>	1 = EU 2 = US	3 = AU 4 = UK	5 = JP
----------------	------------------	------------------	--------

---

<b>Color</b>	2 = Pantone428C
--------------	-----------------

---

<b>Cable Length (mm) &amp; Plug</b>	5 = AC cable: straight 2000; DC cable: straight 1000, DC plug, 180° 6 = AC cable: straight 2000; DC cable: straight 1000, DC plug, 90°
-------------------------------------	---

---

<b>IP Rating</b>	1 = Without	2 = IP54	3 = IP66
------------------	-------------	----------	----------

---

<b>Output Voltage Current</b>	3 = 29.4V, 1.5A
-------------------------------	-----------------

---

<b>Charging Cradle</b>	0 = Without	1 = With
------------------------	-------------	----------

---

---

### Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.